

The image features a vibrant blue-toned galaxy, possibly a spiral or irregular galaxy, with bright star clusters and glowing regions. The text is centered over the galaxy. The word "Gravity:" is in a large, white, serif font, and "Ruler of the Universe" is in a slightly smaller, white, serif font below it. The entire text is enclosed in a thin white rectangular border.

Gravity:

Ruler of the Universe

Gravity:

Ruler of the Universe

Four Fundamental Forces of Nature

- **Strong Nuclear Force**

Responsible for holding particles together inside the nucleus.

The nuclear strong force carrier particle is called the gluon.

The nuclear strong interaction has a range of 10^{-15} m (diameter of a proton).

- **Electromagnetic Force**

Responsible for electric and magnetic interactions, and determines structure of atoms and molecules.

The electromagnetic force carrier particle is the photon (quantum of light)

The electromagnetic interaction range is infinite.

- **Weak Force**

Responsible for (beta) radioactivity.

The weak force carrier particles are called weak gauge bosons (Z, W^+, W^-).

The nuclear weak interaction has a range of 10^{-17} m (1% of proton diameter).

- **Gravity**


Responsible for the attraction between masses. Although the gravitational force carrier

The hypothetical (carrier) particle is the graviton.

The gravitational interaction range is infinite.

By far the weakest force of nature.

Four Fundamental Forces of Nature



Leptons			
	Electric Charge		
Tau	-1	0	Tau Neutrino
Muon	-1	0	Muon Neutrino
Electron	-1	0	Electron Neutrino

Strong	
Glucos (8)	
Quarks	
Mesons	
Baryons	
	Nuclei

Electromagnetic	
Photon	
Atoms	
Light	
Chemistry	
Electronics	

Quarks			
	Electric Charge		
Bottom	-1/3	2/3	Top
Strange	-1/3	2/3	Charm
Down	-1/3	2/3	Up

each quark: R, B, G 3 colours

Gravitational	
Graviton ?	
Solar system	
Galaxies	
Black holes	

Weak	
Bosons (W,Z)	
Neutron decay	
Beta radioactivity	
Neutrino interactions	
Burning of the sun	

Interaction	Current Theory	Mediators	Relative Strength ^[1]	Long-Distance Behavior	Range(m)
Strong	Quantum chromodynamics (QCD)	gluons	10^{38}	1 (see discussion below)	10^{-15}
Electromagnetic	Quantum electrodynamics (QED)	photons	10^{36}	$\frac{1}{r^2}$	infinite
Weak	Electroweak Theory	W and Z bosons	10^{25}	$\frac{e^{-m_{W,Z}r}}{r}$	10^{-18}
Gravitation	General Relativity (GR)	gravitons	1	$\frac{1}{r^2}$	infinite

The weakest force is Gravity !

However, note that

$$g = G \frac{m}{r^2}$$

- .

Interaction	Current Theory	Mediators	Relative Strength^[1]	Long-Distance Behavior	Range(m)
Strong	Quantum chromodynamics (QCD)	gluons	10^{38}	1 (see discussion below)	10^{-15}
Electromagnetic	Quantum electrodynamics (QED)	photons	10^{36}	$\frac{1}{r^2}$	infinite
Weak	Electroweak Theory	W and Z bosons	10^{25}	$\frac{e^{-m_{W,Z}r}}{r}$	10^{-18}
Gravitation	General Relativity (GR)	gravitons	1	$\frac{1}{r^2}$	infinite

The weakest force is Gravity !


However:

- **its range is infinite, not shielded**
- **it is cumulative as all mass adds,**
while electromagnetic charges can be + or -, cancelling each others effect.

Interaction	Current Theory	Mediators	Relative Strength^[1]	Long-Distance Behavior	Range(m)
Strong	Quantum chromodynamics (QCD)	gluons	10^{38}	1 (see discussion below)	10^{-15}
Electromagnetic	Quantum electrodynamics (QED)	photons	10^{36}	$\frac{1}{r^2}$	infinite
Weak	Electroweak Theory	W and Z bosons	10^{25}	$\frac{e^{-m_{W,Z}r}}{r}$	10^{-18}
Gravitation	General Relativity (GR)	gravitons	1	$\frac{1}{r^2}$	infinite

The weakest force, by far, rules the Universe ...

Gravity has dominated its evolution, and determines its fate ...

A portrait of Isaac Newton, an elderly man with long white hair, wearing a dark blue coat and a white cravat. He is seated in a wooden chair, looking slightly to the right. In the background, there is a desk with an open book and a globe. The text "Newton's Static Universe" is overlaid in white serif font on a dark rectangular background.

Newton's Static Universe

PHILOSOPHIÆ
NATURALIS
PRINCIPIA
MATHEMATICA.

^{auto} Autore J. S. NEWTON ^{Equite fuitato,} Trin. Coll. Cantab. Soc. Mathematicos
Professore ^{et Societatis Regiæ Sodali.} Lucasiano, & Societatis Regiæ Sodali.

IMPRIMATUR.
S. PEPYS, Reg. Soc. PRÆSES.
Julii 5. 1686.

LONDINI,

Jussu Societatis Regiæ ac Typis Josephi Streater. Prostat apud
plures Bibliopolas. Anno MDCLXXXVII.

Isaac Newton

(1642-1726)

Newton's Laws of Motion

Newton's 1st Law:

zero force - body keeps constant velocity

$$\vec{F} = 0 \quad \Rightarrow \quad \vec{v} = cst.$$

Newton's 2nd Law:

force = acceleration x mass = change of velocity x mass

$$\vec{F} = m\vec{a} = m \frac{d\vec{v}}{dt}$$


Newton's 3rd Law:

action = reaction

$$\vec{F}_a = -\vec{F}_b$$

Newton's Gravity

$$\vec{F}_g = -G \frac{mM}{r^2} \vec{e}_r$$

The background is a textured, parchment-like surface with faint grid lines. In the top left, a dark, textured sphere is connected to the center by a thin black line. In the bottom right, a silhouette of a person stands on a dark, curved surface. The text is centered in a black serif font.

If I have seen further it
is by standing on the
shoulders of giants.

Isaac Newton

The Unchanging Universe


- In two thousand years of astronomy, no one ever guessed that the universe might be expanding.
- To ancient Greek astronomers and philosophers, the universe was seen as the embodiment of perfection, the heavens were truly heavenly:
 - unchanging, permanent, and geometrically perfect.
- In the early 1600s, Isaac Newton developed his law of gravity, showing that motion in the heavens obeyed the same laws as motion on Earth.

Newton's Universe

- However, Newton ran into trouble when he tried to apply his theory of gravity to the entire universe.
- Since gravity is always attractive, his law predicted that all the matter in the universe should eventually clump into one big ball.
- Newton knew this was not the case, and assumed that the universe had to be static
- So he conjectured that:

the Creator placed the stars such that they were

``at immense distances from one another.”

- 
- absolute and uniform time
 - space & time independent of matter
 - dynamics:
 - action at distance
 - instantaneous
 - Universe edgeless, centerless & infinite
 - Cosmological Principle:
 - Universe looks the same at every place in space, every moment in time
 - absolute, static & infinite space

A black and white photograph of Albert Einstein looking at a chalkboard. The chalkboard contains several mathematical diagrams, including a complex geometric shape with arrows and a circular diagram with internal lines. The text "Einstein's" is overlaid in white serif font on the upper part of the chalkboard.

Einstein's

Dynamic & Geometric
Universe


Albert Einstein

Albert Einstein
(1879-1955; Ulm-Princeton)

father of
General Relativity (1915),
opening the way towards
Physical Cosmology

The supreme task of the physicist is to arrive at those universal elementary laws from which the cosmos can be built up by pure deduction.

(Albert Einstein, 1954)



Relativity: Space & Time

- *Special Relativity*,
published by Einstein in 1905
- states that there is no such thing as
absolute Space or *Time*
- *Space* and *Time* are
not wholly independent,
but aspects of a single entity,
Spacetime

Einstein's principle of relativity

- **Principle of relativity:**
 - All the laws of physics are identical in all inertial reference frames.
- **Constancy of speed of light:**
 - Speed of light is same in all inertial frames (e.g. independent of velocity of observer, velocity of source emitting light)

Relativity:


Space & Time

Einstein's principle of relativity

- **Principle of relativity:**
 - All the laws of physics are identical in all inertial reference frames.
- **Constancy of speed of light:**
 - Speed of light is same in all inertial frames (e.g. independent of velocity of observer, velocity of source emitting light)

Galilean Relativity

As seen by the outfielder, the ball is approaching her at $(30 \text{ m/s}) + (10 \text{ m/s}) = 40 \text{ m/s}$.



Constant Speed of Light

Incorrect Newtonian description:

As seen by the astronaut in spaceship, the light is approaching her at $(3 \times 10^8 \text{ m/s}) + (1 \times 10^8 \text{ m/s}) = 4 \times 10^8 \text{ m/s}$.



Correct Einsteinian description:

As seen by the astronaut in spaceship, the light is approaching her at $3 \times 10^8 \text{ m/s}$.

Relativistic Spacetime

- speed of light constant = $c = 3 \times 10^8$ km/s
in all reference systems
- Only possible if time and space not absolute, but dependent
on reference system

- Manifests itself:
 - Time dilation
 - Length contraction
 - Relativity of Simultaneity

Time Dilation

Time interval in frame train passenger
(observer 1)


$$\Delta t_1 = \frac{\text{round trip distance}}{\text{speed of light}} = \frac{2d}{c}$$

Observer 2 measures a *longer* time

$$\Delta t_2 = \frac{2\sqrt{d^2 + (v\Delta t_2 / 2)^2}}{c}$$
$$\Delta t_2 = \frac{1}{\sqrt{1 - (v/c)^2}} \left(\frac{2d}{c} \right) = \gamma \Delta t_p$$

Lorentz factor:

$$\gamma = \frac{1}{\sqrt{1 - (v/c)^2}} > 1$$




Time Dilation

An observer will note a

- slowing of clocks (time dilation)
- a shortening of rulers (length contraction)


that are moving with respect to the observer



Time dilation


This effect becomes significant only if the clock or ruler is moving at a substantial fraction of the speed of light

Length Contraction




at the same time, we notice the effect on the other component of spacetime,

$$L = L_0 \sqrt{1 - \frac{v^2}{c^2}} = \frac{L_0}{\gamma}$$





Space Time Diagrams



Note: relativity of time intervals –
time interval in restframe different from moving frame !

Frames of Reference


- In relativity events look different in reference frame moving at some velocity
- The new reference frame can be represented as same events along different coordinate axes
- A graphical way of showing that length and time are contracted or expanded.



Relativity:

Curved Space

Inertial vs Gravitational Mass



- a larger mass experiences a stronger gravitational force than a light mass
- a larger mass is more difficult to get moving than a light mass
- As a result, a heavy mass falls equally fast as the light mass:

gravitational mass

inertial mass

Gravitational Mass = Inertial Mass

Inertial vs Gravitational Mass: Apollo 15



Simon Stevin & Galilei



1586: Simon Stevin,
Nieuwe Kerk, Delft



1589 ???? - Galileo Galilei,
leaning tower of Pisa

de Beghinselen der Weeghconst

- *Laet nemen (soo den hoochgheleerden H. IAN CORNETS DE GROOT vlietichste ondersoucker der Naturens verborghentheden, ende ick ghedaen hebben) twee loyen clooten d'een thienmael grooter en swaerder als d'ander, die laet t'samen vallen van 30 voeten hooch, op een bart oft yet daer sy merckelick gheluyt tegen gheven, ende sal blijcken, dat de lichste gheen thienmael langher op wech en blijft dan de swaerste, maer datse t'samen so ghelijck opt bart vallen, dat haer beyde gheluyden een selve clop schijnt te wesen. S'ghelijcx bevint hem daetlick oock also, met twee evegroote lichamen in thienvoudighe reden der swaerheyt, daerom Aristoteles voornomde everedenheyt is onrecht.*
- In: Simon Stevin: De Beghinselen der Weeghconst, 1586.


de Beghinselen der Weeghconst

- Let us take (as the highly educated Jan Cornets de Groot, the diligent researcher of the mysteries of Nature, and I have done) two balls of lead, the one ten times bigger and heavier than the other, and let them drop together from 30 feet high, and it will show, that the lightest ball is not ten times longer under way than the heaviest, but they fall together at the same time on the ground. (...) This proves that Aristotle is wrong.'
- In: Simon Stevin: De Beghinselen der Weeghconst, 1586.

Equivalence Principle

Einstein's "happiest thought" came from the realization of the equivalence principle

Einstein reasoned that:



There is no experiment that can distinguish
between


uniform acceleration and
a uniform gravitational field.

Equivalence Principle


being in
an accelerating frame

indistinguishable


from being in
a gravitational field



Light follows the same path



which of these is a straight line?



A. A


B. B

C. C

D. All of them

Curved Space:


Positive vs. Negative



positively curved space
sphere

Triangle angles > 180 degrees

Circle circumference $< 2\pi r$



negatively curved space
saddle

Triangle angles < 180 degrees

Circle circumference $> 2\pi r$

Relativity:

Spacetime is Dynamic

**Einstein's
Metric theory of Gravity:**

how Gravity = Curved Space

Gravity & Curved Spacetime

- Equivalence of acceleration of a frame & location in gravitational field



in gravity field, light follows a curved path

- Curved paths:

straight lines in curved spacetime:
(cf. flightpaths airplanes over surface Earth)

Geodesics

- Fundamental tenet of *General Relativity*:

!!!!!!! Gravity is the effect of curved spacetime !!!!!!!

Einstein's Universe

In 1915,

Albert Einstein completed his General Theory of Relativity.

- General Relativity is a “metric theory”:
gravity is a manifestation of the geometry, curvature, of space-time.
- Revolutionized our thinking about the nature of space & time:
 - no longer Newton's static and rigid background,
 - a dynamic medium, intimately coupled to the universe's content of matter and energy.
- All phrased into perhaps the most beautiful and impressive scientific equation known to humankind, a triumph of human genius,

Einstein Field Equations

*... Spacetime becomes a dynamic continuum,
integral part of the structure of the cosmos ...
curved spacetime becomes force of gravity*


$$R^{\alpha\beta} - \frac{1}{2} R g^{\alpha\beta} = -\frac{8\pi G}{c^4} T^{\alpha\beta}$$

*... its geometry rules the world,
the world rules its geometry...*

Einstein's Universe



- spacetime is dynamic
- local curvature & time determined by mass
- bodies follow shortest path through curved spacetime (geodesics)
- dynamics: - action through curvature space
- travels with velocity of light



the

Cosmological Principle

General Relativity

A crucial aspect of any particular configuration is the geometry of spacetime: because Einstein's General Relativity is a metric theory, knowledge of the geometry is essential.

Einstein Field Equations are notoriously complex, essentially 10 equations. Solving them for general situations is almost impossible.

However, there are some special circumstances that do allow a full solution. The simplest one is also the one that describes our Universe. It is encapsulated in the

Cosmological Principle

On the basis of this principle, we can constrain the geometry of the Universe and hence find its dynamical evolution.

Cosmological Principle: the Universe Simple & Smooth

"God is an infinite sphere whose centre is everywhere and its circumference nowhere"
Empedocles, 5th cent BC

Cosmological Principle:

Describes the symmetries in global appearance of the Universe:

- **Homogeneous**



The Universe is the same everywhere:
- physical quantities (density, T , p , ...)

- **Isotropic**



The Universe looks the same in every direction

- **Universality**



Physical Laws same everywhere

- **Uniformly Expanding**



The Universe "grows" with same rate in
- every direction
- at every location

"all places in the Universe are alike"
Einstein, 1931

Geometry of the Universe

Fundamental Tenet of (Non-Euclidian = Riemannian) Geometry


There exist no more than THREE uniform spaces:

- | | | |
|----|---------------------------|---------------------------|
| 1) | Euclidian (flat) Geometry | Euclides |
| 2) | Hyperbolic Geometry | Gauß, Lobachevski, Bolyai |
| 3) | Spherical Geometry | Riemann |


uniform=
homogeneous & isotropic
(cosmological principle)

Geometry of the Universe


Positive
Curvature
 $k = +1$




Negative
Curvature
 $k = -1$



Flat
 $k = 0$





	Parallel Lines	Triangular Angles	Circumference Circle	Curvature	Extent	Boundary
		$\alpha + \beta + \gamma$	$x \equiv \frac{S}{2r}$	k		
Flat Space	parallels: 1 never intersects	π	π	0	open: infinite	unbounded
Spherical Space	parallels: ∞ along great circles, all intersect	$> \pi$	$< \pi$	$1/R^2$ > 0	closed: finite	unbounded
Hyperbolic Space	parallels: ∞ diverge & never intersect	$< \pi$	$> \pi$	$-1/R^2$ < 0	open: infinite	unbounded